

項目	設定情報
Feature Selection	
Instance Features	
Database Engine Services	選択済み
SQL Server Replication	選択済み
Full-Text and Semantic Extractions for Search	選択済み
Data Quality Services	選択済み
Analysis Services	選択済み
Reporting Services - Native	選択済み
Shared Features	
Reporting Services - SharePoint	選択済み
Reporting Services Add-in for SharePoint Products	選択済み
Data Quality Client	選択済み
Client Tools Connectivity	選択済み
Integration Services	選択済み
Client Tools Backwards Compatibility	選択済み
Client Tools SDK	選択済み
Documentation Components	選択済み
Management Tools - Basic	選択済み
Management Tools - Complete	選択済み
Distributed Replay Controller	選択済み
Distributed Replay Client	選択済み
SQL Client Connectivity SDK	選択済み
Instance root directory	C:\Program Files\Microsoft SQL Server\
Shared Feature directory	C:\Program Files\Microsoft SQL Server\
Shared Feature directory (x86)	C:\Program Files (x86)\Microsoft SQL Server\
Instance Configuration	
Instance	(初回起動時に指定可能)
Instance ID	(Instanceと同一の値が設定される)
Server Configuration	
Service Accounts	
Service: SQL Server Agent	
Account Name	NT Service\SQLAgent\$(Instance)
Startup Type	手動
Service: SQL Server Database Engine	
Account Name	MSSQL\$(Instance)
Startup Type	自動
Service: SQL Server Analysis Services	
Account Name	NT Service\MSSQLAP\$(Instance)
Startup Type	自動
Service: SQL Server Reporting Services	
Account Name	NT Service\ReportServer\$(Instance)
Startup Type	自動
Service: SQL Server Integration Services 12.0	
Account Name	NT Service\MsDtsServer120
Startup Type	自動
Service: SQL Server Distributed Replay Client	
Account Name	NT Service\SQL Server Distributed Replay Client
Startup Type	手動
Service: SQL Server Distributed Replay Controller	
Account Name	NT Service\SQL Server Distributed Replay Controller
Startup Type	手動
Service: SQL Full-text Filter Daemon Launcher	
Account Name	NT Service\MSSQLFDLauncher\$(Instance)
Startup Type	手動
Service: SQL Server Browser	
Account Name	NT AUTHORITY\LOCAL SERVICE
Startup Type	無効
Collation	
Database Engine	
collation	(初回起動時にリストから選択可能)
Analysis Services	
collation	Latin1_General_CI_AS (英語版オフィシャルテンプレートを選択した場合) Japanese_CI_AS (日本語版版オフィシャルテンプレートを選択した場合)
Database Engine Configuration	
Server Configuration	
Authentication Mode	Windows認証モード
Specify SQL Server administrators	Administrator
Data Directories	
Data root directory	C:\Program Files\Microsoft SQL Server\
User database directory	C:\Program Files\Microsoft SQL Server\MSSQL12.(Instance)\MSSQL\Data
User databaselog directory	C:\Program Files\Microsoft SQL Server\MSSQL12.(Instance)\MSSQL\Log
Temp DB directory	C:\Program Files\Microsoft SQL Server\MSSQL12.(Instance)\MSSQL\Temp
Temp DB log directory	C:\Program Files\Microsoft SQL Server\MSSQL12.(Instance)\MSSQL\Log
Backup directory	C:\Program Files\Microsoft SQL Server\MSSQL12.(Instance)\MSSQL\Backup
FILESTREAM	
Enable FILESTREAM for Transact-SQL access	無効
Analysis Services Configuration	
Server Configuration	
Server Mode	多次元およびデータマイニングモード
Specify which users have administrative permissions for Analysis Services	Administrator
Data Directories	
Data directory	C:\Program Files\Microsoft SQL Server\MAS12.(Instance)\OLAP\Data
Log file directory	C:\Program Files\Microsoft SQL Server\MAS12.(Instance)\OLAP\Log
Temp directory	C:\Program Files\Microsoft SQL Server\MAS12.(Instance)\OLAP\Temp
Backup directory	C:\Program Files\Microsoft SQL Server\MAS12.(Instance)\OLAP\Backup
Reporting Services Configuration	
Reporting Services Native Mode	インストールのみ。
Reporting Services SharePoint Integrated Mode	インストールのみ。
Distributed Replay Controller	
Specify which users have permissions for the Distributed Replay Controller serv	Administrator
Distributed Replay Client	
Controller Name	
Working Directory	C:\Program Files (x86)\Microsoft SQL Server\DRplayClient\WorkingDir\
Result Directory	C:\Program Files (x86)\Microsoft SQL Server\DRplayClient\ResultDir\

※(Instance)と書かれた箇所には指定したインスタンス名が入ります