

| 項目 | 設定情報 |
|---|---|
| Feature Selection | |
| Instance Features | |
| Database Engine Services | 選択済み |
| SQL Server Replication | 選択済み |
| Machine Learning Services (In-Database) | 選択済み |
| R | 選択済み |
| Python | 選択済み |
| Full-Text and Semantic Extractions for Search | 選択済み |
| Data Quality Services | 選択済み |
| PolyBase Query Service for External Data | 未選択 |
| Analysis Services | 選択済み |
| Shared Features | |
| Data Quality Client | 選択済み |
| Client Tools Connectivity | 選択済み |
| Integration Services | 選択済み |
| Scale Out Worker | 選択済み |
| Client Tools Backwards Compatibility | 選択済み |
| Client Tools SDK | 選択済み |
| Distributed Replay Controller | 選択済み |
| Distributed Replay Client | 選択済み |
| SQL Client Connectivity SDK | 選択済み |
| Instance root directory | C:\Program Files\Microsoft SQL Server\ |
| Shared Feature directory | C:\Program Files\Microsoft SQL Server\ |
| Shared Feature directory (x86) | C:\Program Files (x86)\Microsoft SQL Server\ |
| Instance Configuration | |
| Instance | (初回起動時に指定可能) |
| Instance ID | (Instanceと同一の値が設定される) |
| Server Configuration | |
| Service Accounts | |
| Service: SQL Server Agent | |
| Account Name | NT Service\SQLAgent\$(Instance) |
| Startup Type | 手動 |
| Service: SQL Server Database Engine | |
| Account Name | NT Service\MSSQL\$(Instance) |
| Startup Type | 自動 |
| Service: SQL Server Analysis Services | |
| Account Name | NT Service\MSSOLAP\$(Instance) |
| Startup Type | 自動 |
| Service: SQL Server Integration Services 14.0 | |
| Account Name | NT Service\MsDtsServer140 |
| Startup Type | 自動 |
| Service: SQL Server Integration Services Scale Out Worker 14.0 | |
| Account Name | NT Service\SSISScaleOutWorker140 |
| Startup Type | 自動 |
| Service: SQL Server Distributed Replay Client | |
| Account Name | NT Service\SQL Server Distributed Replay Client |
| Startup Type | 手動 |
| Service: SQL Server Distributed Replay Controller | |
| Account Name | NT Service\SQL Server Distributed Replay Controller |
| Startup Type | 手動 |
| Service: SQL Server Launchpad | |
| Account Name | NT Service\MSSQLLaunchpad\$(Instance) |
| Startup Type | 自動 |
| Service: SQL Full-text Filter Daemon Launcher | |
| Account Name | NT Service\MSSQLFDLauncher\$(Instance) |
| Startup Type | 手動 |
| Service: SQL Server Browser | |
| Account Name | NT AUTHORITY\LOCAL SERVICE |
| Startup Type | 無効 |
| Grant Perform Volume Maintenance Task privilege to SQL Server Database Engine Service | 選択済み |
| Collation | |
| Database Engine | |
| collation | (初回起動時にリストから選択可能) |
| Analysis Services | |
| collation | Latin1_General_CI_AS (英語版オフショールテンプレートを選択した場合) Japanese_CI_AS (日本語版オフショールテンプレートを選択した場合) |
| Database Engine Configuration | |
| Server Configuration | |
| Authentication Mode | Windows認証モード |
| Specify SQL Server administrators | Administrator |
| Data Directories | |
| Data root directory | C:\Program Files\Microsoft SQL Server\ |
| System database directory | C:\Program Files\Microsoft SQL Server\MSSQL14.(Instance)\MSSQL\DATA |
| User database directory | C:\Program Files\Microsoft SQL Server\MSSQL14.(Instance)\MSSQL\DATA |
| User database log directory | C:\Program Files\Microsoft SQL Server\MSSQL14.(Instance)\MSSQL\DATA |
| Backup directory | C:\Program Files\Microsoft SQL Server\MSSQL14.(Instance)\MSSQL\BACKUP |
| TempDB | |
| TempDB data files | |
| Number of files | 2 |
| Initial size(MB) | 8 |
| Autogrowth(MB) | 64 |
| Data directory | C:\Program Files\Microsoft SQL Server\MSSQL14.(Instance)\MSSQL\DATA |
| TempDB log file | |
| Initial size(MB) | 8 |
| Autogrowth(MB) | 64 |
| Log directory | C:\Program Files\Microsoft SQL Server\MSSQL14.(Instance)\MSSQL\DATA |
| FILESTREAM | |
| Enable FILESTREAM for Transact-SQL access | 無効 |
| Analysis Services Configuration | |
| Server Configuration | |
| Server Mode | 多次元およびデータマイニングモード |
| Specify which users have administrative permissions for Analysis Services | Administrator |
| Data Directories | |
| Data directory | C:\Program Files\Microsoft SQL Server\MASAS14.(Instance)\OLAP\DATA |
| Log file directory | C:\Program Files\Microsoft SQL Server\MASAS14.(Instance)\OLAP\LOG |
| Temp directory | C:\Program Files\Microsoft SQL Server\MASAS14.(Instance)\OLAP\TEMP |
| Backup directory | C:\Program Files\Microsoft SQL Server\MASAS14.(Instance)\OLAP\BACKUP |
| Integration Services Scal Out Configuration - Worker Node | |
| Provide the master node endpoint which the worker node needs to connect to | |
| Configure the SSL certificate of master node to trust in this machine. | |
| Distributed Replay Controller | |
| Specify which users have permissions for the Distributed Replay Controller service | Administrator |
| Distributed Replay Client | |
| Controller Name | |
| Working Directory | C:\Program Files (x86)\Microsoft SQL Server\DR\ReplayClient\WorkingDir\ |
| Result Directory | C:\Program Files (x86)\Microsoft SQL Server\DR\ReplayClient\ResultDir\ |

※(Instance)と書かれた箇所には指定したインスタンス名が入ります